

The enumerate package*

David Carlisle

1999/03/05

Abstract

This package gives the `enumerate` environment an optional argument which determines the style in which the counter is printed.

An occurrence of one of the tokens `A` `a` `I` `i` or `1` produces the value of the counter printed with (respectively) `\Alph` `\alph` `\Roman` `\roman` or `\arabic`.

These letters may be surrounded by any strings involving any other TeX expressions, however the tokens `A` `a` `I` `i` `1` must be inside a `{ }` group if they are not to be taken as special.

1 Examples

	<code>\begin{enumerate}[EX i.]</code>
EX i. one one one one one one	<code>\item one one one one one one one</code>
one one one one one one	<code>one one one one\label{LA}</code>
	<code>\item two</code>
	<code>\begin{enumerate}[\example a)]</code>
EX ii. two	<code>\item one of two one of two</code>
	<code>one of two\label{LB}</code>
example a) one of two one	<code>\item two of two</code>
of two one of	<code>\end{enumerate}</code>
two	<code>\item two of two</code>
	<code>\end{enumerate}</code>
example b) two of two	<code>\end{enumerate}</code>
A-1 one	<code>\begin{enumerate}[\A-1]</code>
	<code>\item one\label{LC}</code>
A-2 two	<code>\item two</code>
	<code>\end{enumerate}</code>

`\label` and `\ref` may be used as with the standard `enumerate` environment. `\ref` only produces the counter value, not the whole label. `\ref` prints the value in the same style as `\item`, as determined by the presence of one of the tokens `A` `a` `I` `i` `1` in the optional argument. In the above example `\ref{LA}`, `\ref{LB}` and `\ref{LC}` produce ‘i’, ‘iia’ and ‘1’ respectively.

*This file has version number v3.00, last revised 1999/03/05.